



BUYING, SELLING, AND APPRAISING USED METALWORKING MACHINERY

BALERS, SCRAP METAL

Dempster Model 275 Hydraulic Scrap Baler (10838)
D&J, No. 15 AR, Briquetter, 72" x 30" x 19" Box Size (11887)
Galland Henning, No. 12 DC, Briquetter, 21" x 32" x 48" Box Size (11886)
Harris Hydraulic Scrap Baler (10718)

BALLERS, SCRAP

McLanahan, No. 2424R, Scrap Baller, Alum, 15 HP, 1750 RPM, 230-460V (12279)
34" (863mm) x .25" (6mm), Pro Eco, Scrap Baller (11447)
Ruesch Mdl 291 Scrap Baller, 16" (406mm) Dia x 18 3/4" (476mm) Face (11185)
Seco Scrap Baller (8198)

BANDING LINES

ITW Signode, 425mm Wide x 3000mm Long Sheets (12368)
Signode, Automated Slit Coil, Banding System, 62" Max. Coil O.D. (11273)
Stamco, Banding Line & Coil Stacker for Discharge End of Slitting Line (11963)

BAR TURNERS/PEELERS

1 7/64" - 1/2" Daisho Coil to Coil Bar Peeler (10716)
1 1/2", Hetran, No. WS-15, 1993, 4000# Coils (11585)
4-3/8", Farmer Norton, Centerless Bar Peeling 20-110mm Capacity (12153)
8 1/2", Kieserling, No. WDSN6, Capacity 8.66" - 3-3/8" Diameter (12444)

BILLET HEATERS

7" (178mm), Banyard, Billet Oven, Billet Capacity 2 x 27" (690mm) (12478)
7" (178mm), Cometal, 2001, Aluminum Billet Furnace (12390)

BRUSHING MACHINES

4", Brushing/Rewind Line, 6" Wide x 4" Diameter Brushes (10957)

CASTING MACHINES, CONTINUOUS

Demag Technica, 1989, 450mm Wide (12032)
Hazelett, Continuous Zinc Strip Cast & Roll Line (12421)
Hill loma, Continuous 7"-15" (180-380mm) Vertical Copper Billet Caster (10723)
Hill loma Slab Caster for Brass, Two Strand, 425x220mm, 16.7x8.6" (12238)
20 3/4" (527mm), Metatherm, Horizontal Continuous Single Strand Strip Caster (10263)
New, 14"-6" (355mm) OCN, 2004, 3 Strand Copper Billet Caster, Never Used (10509)
Outokumpu, 1997, 8 x 8mm CU Rod Upcaster, 10,000 Tons Per Year (12426)
Rautomead, No. RS2500/8, 8 Rods Upward Continuous Caster, New 2007 (12425)
Rautomead Model RX 2200, 12 Strand, Inductotherm Melting Furnace (10507)
Rautomead, No. RX1100, Horizontal 6 Strand, 300 KW Inductotherm (11960)
Technica, Continuous Non-Ferrous 8"-10" (200-250mm) Billet Caster (10766)
24" (610mm) Technica Guss, Continuous Strip Caster w/ In Line Milling (12224)
24" (610mm) Technica Guss, Continuous Strip Caster w/ In Line Milling (12235)
24" (610mm) Technica Guss, Continuous Strip Caster w/ In Line Milling (12237)
Vishwakarma Billet Caster for 5" (127mm) - 12" (305mm) Dia. Copper Billets (12339)
Wellman, Casting & Tandem Rolling Set Up for Aluminum Narrow Strip (12308)
9" (228mm) 12 Strand Aluminum Billet Caster (10260)
Copper Slab Caster 300mm - 600mm x 230mm Single Strand (12342)

COIL CLEANING LINES

25" W. x 0.0078" T, Technomatics, Thickness 0.035mm - 0.20mm (12372)

COIL END JOINERS

24", Oerlikon, 12"-24" (300-620mm) Wide, .078-.200" (2-5mm) Thick Copper (12122)
72" (1828mm) x .375" (9.5mm) Coil End Joining Welder, Hobart 300 Amp Welder (12264)

COMPLETE PLANTS

Brass Ammunition Line (12333)
Aluminum/Brass Rod Plant, Solids Rounds, Hexs ETC (11708)
Ultra Modern Fully Automated Copper Tube Plant (12291)
Complete Modern Copper & Brass Strip Plant (11896)
Hazelett, Continuous Zinc Strip Cast & Roll Line (12422)
Narrow Width Stainless Steel Coil Processing Plant (12270)
Complete Brass & Sanitary Fittings Plant for Faucets, Fixtures, etc. (10068)
Modern Copper Rod and Tube Plant (10734)
610mm (24") Complete Brass & Copper Strip Mill (12117)



COOLANT FILTRATION SYSTEMS, HI-PRESSURE

Filtertech SCF6-2800 Coolant Filtration System (11504)

CUT-OFFS, PIPE, TUBE & BAR

1 1/4", Champion/Fenn Model 125 Impact Cutoff Machine (11918)

CUT-TO-LENGTH LINES

14" x .130", Tishken, Model 11-R-14 (12406)
15" x .236", Ungerer, Thickness .040"-.236" (1-6mm), Sheets 3-12 ft Long (12127)
16 1/2" x .031", Pitel, Thickness .8mm - .2mm, 45m/min (12367)
24" x .236", Ungerer, Combination Slitter/CTL Line, .040"-.236" (1-5mm) (12124)
25" x .06", Ungerer, 0.012-.060" (0.3-1.5mm) Thick, Levlr, Shear, Stacker (12126)
36" (915mm) x .06" (1.5mm) Max, Redbud, 16"-20" Coil ID, 60" OD. (11618)
36" x .125", Redbud, 1995, RM 24-36-36 (11740)
48" x 1/4", American Steel Line, 10,000# Coil (11051)
50" x 0.052", B & K, 1975, Cut to Length Line (10956)
60" x 16 GA Dalhstrom, 20,000# Coil Weight (11461)
60" (1524mm) x .135" (4.75mm), Rowe, Stacker for Cut-to-Length Line (12041)
61" x .105", Emag Steelpro, Precision Blanking Line (11998)
63" (1600mm) x .120" (3mm) Ungerer, 1981, Cut-to-Length Line (11406)
65" (1650mm) x .120" (3mm), Ungerer, 1997, Cut-to-Length Line (11407)
72" x .14", Rowe, Coil WTS 25,000 lbs, Line Speed 160 FPM (12218)
72" x 1/4", Paxson/Mesta, 40,000#, Range 0.060"-0.250" (11919)
78" x .5", Ungerer/Evans/White, 30 Ton Coils (12316)

DRAW BENCHES

3000 Lb., Fenn Hydraulic Drawbench (Modified) (11771)
40000 Lb., Bigwood, Single Chain, 9 Meter Length, 35 HP (12459)
50000 Lb., Brookes, 13 Meter Length (12458)
24,000 Lb., Drawbench (11810)
50,000 Lb., Aetna Standard, 3 Die Drawbench, 2.5" - 0.60" Entry-Exit (12416)
50,000 Lb., 1981, Drawbench (11813)
75,000 Lb., McKay Single Die Drawbench 200 HP (10788)
100,000 Lb. (50 Ton), Aetna Standard, 1 Die Tube Drawbench, 250 HP (11945)
100,000 Lb., Drawbench (11812)
200,000 Lb., 1983, Drawbench (11814)
300,000 Lb., Drawbench Single Tube (11811)
Kawazoe, KDB-30, 1991, Single Draw w/Push Pointer (12141)
Zdas, 20 m Draw Length, 250kW (12232)

DRYERS

Coreco Swarf Dryer (12464)

EDGERS, STRIP, VERTICAL & TRIMMERS

Edger 3mm - 100mm Width, 0,8mm - 5mm Thickness, 50 MPM (12352)



BUYING, SELLING, AND APPRAISING USED METALWORKING MACHINERY

EDGING LINES

Coilpro, 2001, Edging/Skiving Line, .003"-0.050" Thickness (11202)
3" Wide, Ruesch Model 270 Power Driven Edger (8002)
4" - 1/2", Strip Edging/Conditioning Line (10811)
18" - 4" (457mm-100mm), Strip Edging Line (10825)
6" (152mm) x .250" (6.3mm) Edge Conditioning Line (11741)

FORGING EQUIPMENT

GFM, SX-32, 1974, Radial Forging 320mm Dia Max, 60mm Dia Min (12265)

FURNACES

20 Metric Ton per Hour Walking Beam Slab Furnace (12344)

FURNACES, AMMONIA DISSOCIATOR GENERATOR

1000 CFM, S & M, 35 KW Ammonia Dissociator (10064)

FURNACES, ANNEALING

Direct Gas-Fired Chamber Furnace for Brass Coils (12353)
60" W. x 24" H. x 1800" L., Rockwell, Annealing Furnace (10730)
Ajax, Model PAcer 1, Induction Furnace (10729)
Sinterite Box Type Annealing Furnace 1600 Degrees F (11952)
YS Thermtch, Bright Annealing Furnace for Steel Tubes (12297)
Vacuum Processing, 2004, Batch Type, Annealing Furnace (11115)

FURNACES, ANNEALING, STRIP

18", Herr, 1966, Bright Anneal Line (11682)
Junker/Inco/Mmpl, Degreasing Annealing & Pickling Line 425mm Wide (12360)
16" (410mm), Bright Annealing Furnace, 2007, for Stainless Steel Strips (12481)

FURNACES, BELL TYPE

63" Dia x 82"H., Ebner, Electric, 1380 Deg.F (750 Deg. C), 3 Furnaces (12131)
63" Dia x 158"H., Apex LPG Gas-Fired Bell Furnaces, 3 Furnaces 8 Bases (12354)
79" (2010mm) Dia x 124" (3140mm) H, Chugairo, Steel Bell Anneal (11462)
95" Dia x 106"H., Apex, Charge Weight Average 18 Metric Tons (12371)
114" x 124" Lee Wilson, Nat Gas Fired (11850)

FURNACES, CAR BOTTOM

66" W. x 30" H. x 84" L., Unique, Model ELK-200M, 1000 C (11984)

FURNACES, INDUCTION MELTING

400 KW, Inductotherm Direct Cast Coreless Melting Furnace (10883)
450 KW, Ajax Magnathermic Air Cooled Channel Melting Furnace (10886)
450 KW, Ajax Magnathermic with 160KW Holding Furnace (11654)
600 KW, Inductotherm, 2000, 300 hz, 1.2 MT Aluminum Capacity (11423)
900 KW, Pioneer Channel Induction Melting Furnace for Brass (12335)
1400 KW, Pioneer Channel Induction Melting Furnace for Brass (12336)
2000 KW, Inductotherm, 2003, Steel Melt Furnace, 500 HZ, (2) 4 Ton Box Furnaces (12070)
2000 KW, Pillar, No. MK7, Rebuilt 2005, Induction Melting Furnace (12315)
2500/500KW Induction Melting Furnace for Copper, 7 Ton Cap. (12341)
6000 KW, ABB, 1997, (2) Furnaces, 12 Ton Cap., Coreless Induction (12157)



FURNACES, PUSHER TYPE

108"W. x 84"H. x 216"L., Rapid Technology, 2300 Degrees F (11729)

FURNACES, ROLLER HEARTH

48"W. x 14"H., Electric Furnace, Roller Hearth (11833)
60"W., 36"H., 492"L., Electric Furnace Company, 850 Degrees (10829)
73"W x 12" H x 360" L, Electric Furnace, Gas Fired, 850 Degrees C (10480)

FURNACES, STRIP ANNEALER

17" (425mm) Junker, Flotation Annealing Furnace, 0.12mm - 0.80mm Thickness (12361)

GALVANIZING EQUIPMENT

1250mm Hot Dip Galvanizing Line (11712)
23 1/2" (600mm) x .125" (3.2mm) Coil Continuous Galvanizing Line (11426)

GRINDERS, CUTTER

Kapp, No. PS 410T, Milling Machine Cutter Grinder, S/N 3181 (12137)

GRINDERS, ROLL

14" x 40", Fortuna Type M43-G-1000 N CNC Cylindrical Grinder (11574)
14" x 40", Fortuna Type FM43-G-1000 N Precision Roll Grinder (11575)
20" x 98", Naxos Union, Model W500/2500 (12332)
24" x 177", Waldrich Siegen, 1981, Crowning, 3 Ton Rolls (12136)
43" x 177", Waldrich Siegen, Heavy Duty, Crowning, 10 Ton Rolls (12135)
48" x 378", Farrel, Dual Wheel Roll Grinder (10145)
50/63" x 352", Farrel, Dual Wheel Roll Grinder (12466)

INSPECTION EQUIPMENT (Incl. E-Beam & Optical Mics)

Pratt & Whitney Model 10-A Magnetic Continuous Gage for Thickness (6402)
C-1 Width Gage, Pratt & Whitney, Electrolimit Continuous Width Gage (11993)
Zumbach Laser Micrometer w/2 Plane Dia @ Position Monitor (7849)
Vollmer Model VMF 390 Contact Thickness Gauges (7341)

LATHES, PRECISION, JEWELERS, TOOLROOM, ETC.

5" x 12", Sheldon Model EL-38-B Lathe (11170)

LEVELERS (ROLLER / PLATE & STRETCH)

7" (178mm) x 7/8" (22mm) Kohler 19 Roll Light Gauge Strip Leveler (12173)
7" (178 mm) x 7/8" (22 mm), Bruderer, 19 Roll Backed Up Leveler (12018)
7 3/4" Wide .050" Thick Schubert 1962, 19 Rolls, 9 Over 10 (11180)
7-7/8" Ungerer Precision Leveler, 19 Rolls, Max 0.067" (11049)
8" x 1 1/2", Perfecto, Model 28-8-7, 7 Roll Leveler (11780)
9" x 1 1/2", Ruesch 9 Roll Leveller (11783)
9" x 1-7/8" Waterbury Farrel Leveler 9 Roll (11181)
25" (635mm) wide x 0.20" - 1" Thick Ungerer Sheet-to-Sheet Leveler, 7 Roll, 75 KW (12130)
34", 17 Roll Ungerer Leveller, Backed Up, 4 High No Motor (11271)
66" x 16", McKay 7 Roll Leveller, 150 HP DC (12403)
118" Froriep 7 Roll, 4 Over 3, Thickness 1.182" (11975)
124" x 1.57" Sket Model UBR 40x3150-7/12 Plate Leveler (11750)

LEVELERS, TENSION

12" (300mm) x 0.5" (.020"), Ungerer, 3 Ton Coil Weight (11838)
16" (400mm) Wide, Ungerer, Tension Leveler, 394 FPM (120m/Min.) (12412)
17" x 0.06", Inco, Coil Width 425mm Copper Tension Leveler (12362)
65" x .025", Stamco, Tension Leveler Aluminum (12289)

MILLERS, SLAB

6" x 1/2" Torrington 4 Sided Bar Miller, 33-99 FPM, Leveller, Upcoiler (420)
18", Inco, Double Sided Slab Milling and Edging Line (12346)
25" (640mm), Torin, 1981, .031"-0.060" (8mm-15mm) Thick Copper, Two-Sided (12120)
26", Krupp Technica Slab Milling Line for 660mm x 17mm Copper Slabs (12347)
33" (850mm), Technica Guss, Model FM 800, 2-Sided Slab Miller (12423)



BUYING, SELLING, AND APPRAISING USED METALWORKING MACHINERY

PICKLING LINES

Mcal Cleaning and Pickling Line for 17" (430mm) Wide Brass Strip (12356)
Edge Trim & Pickling Line for 17" (430mm) Wide Brass Strip (12355)
25", Junker Continuous Anneal and Pickle for Copper Sheets 10 Ft. Long (12132)
25", Junker, Horizontal Strip Anneal and Pickle Line, Coil to Coil (12133)
25", Horizontal Continuous Strip Anneal and Pickle Line (12134)
25", Technomatics, Cleaning and Pickling Line (12350)
36" (914mm), Aeromet, Continuous Cleaning/Pickling Line (11666)
50" (1346mm), Sumitomo, 4400 Lbs. (2000 Kg), 1970, Pickling Steel Strip (12273)

PRESSES, COINING, MINT COINING

360 Ton, HME, No. K360, Coining Press, 45 SPM, 2 3/8" Stroke (12140)

PRESSES, EXTRUSION

700 Ton, Loewy, Hydropress, 4" x 18" Billet Size (11071)
1250 Ton, Lake Erie, Aluminum Ext. Press w/ Stretcher, Cooling Bed (10044)
1250 Ton, Schloemann, 1961, Extrusion Press, 4" (100mm) Copper Tube (11690)
1500 Ton, Kobelco, Billet 175 x 800mm (12447)
1700 Ton, Loewy, Oil Hyd., Piercer, Direct, 5-7" Billets (12268)
1700 Ton, Lombard, Extrusion Press w/Piercer (12405)
1800 M Ton, Innse, (Rebuilt 2010), Alum Ext Press, 7" (178 mm) Billet (12052)
1800 Ton, Lombard, Ext Speed 1.5 - 38mm/sec. 150/203mm Billet Dia (12457)
1800 Ton, Sutton, 1975, Oil Hydraulic, Aluminum Extrusion Press, Direct (12158)
1800 Ton, Sutton, Aluminum Extrusion Press, 7" (178mm) Billets (12475)
1850 Ton, Baldwin Innocenti, (Rebuilt 1999), Alum Ext Press, 7" (178 mm) (12053)
2000 Ton, Fielding & Platt, Hydraulic Extrusion Press, 8" (203mm) Billet (12045)
2000 Ton, Schloemann, Aluminum Extrusion Press (12449)
2000 Ton, Schloemann (SMS), Elhaus Bolt Shear, Siemens Controls (12398)
2000 Ton, Siddharth, 1996, Extrusion Press for Copper Tube (10346)
2200 Ton, Breda, 1977 (Rebuilt 1999), Alum Ext Press, 8" Billet Dia. (12054)
2200 Ton, SMS, 1983, Alum, Billet Oval 10" x 6", Container Length 32" (12164)
2600 Ton, Schloemann, Extrusion Press w/Piercer, 28" (250mm) Billet Dia. (11906)
3000 Ton, Lake Erie, 1970, Oil Hydraulic, Aluminum Extrusion Press, Direct (12159)
4500 Ton, Loewy, Water Hydraulic Extrusion Press w/Piercer (12414)
4500 Metric Ton, Schloemann, Indirect Extrusion Press (10785)
3700 Ton, Schloemann, Aluminum Extrusion Press (12331)
5000 Metric Ton, Uralmach, 1989, Water Hyd (11731)
5000 Ton, Wean United, 1981, Oil Hydraulic Extrusion Press w/Piercer (10714)

RECOILERS

2,000 Lb., Progressive, No. 620-SM-RH, Traversing Take Up (10579)
2,200 Lb., RMM Group, Traverse Winding w/In-Line Welder (12370)
3,000 Lb., Fenn, 24" X 10", Chain Driven, Manual Exp (11705)
2,000 Lb., Ruesch, No. 292, Traverse Coil Winding Line (10222)
5,000 Lb., Torrington, Recoiler, 22" Wide x 12" ID, 15 HP (10797)
10,000 Lb., Herr Voss, 16" Dia. x 35" - 38" Face Drum, Hydraulic Pushoff (11870)
10,000 Lb., Paxson, 16" Dia. x 42" Face Drum, Hydraulic Pushoff (11871)
10,000 Lb., Ruesch, 16" Dia. x 30" Face Drum, Hydraulic Pushoff (11869)
10,000 Lb., Yoder, 16"ID X 36" Width, 25 HP (7763)
20,000 Lb. x 48", Paxson, Recoiler, w/Overarm Separator, 60 HP, Hyd. (6583)
20,000 Lb. x 40" Wide Paxson, 17/18/20 ID, 40 HP DC, Sliding Base (10609)

ROLLS, PLATE BEND'G, INIT. & DBL. PINCH TYPE

12' (3657mm) x 4 1/16" (103mm), Bertsch, No. 36, Plate Bending Roll (11928)

ROLLING MILLS, BAR & ROD

3" (76mm) Dia. x 5" (127mm) W., Stanat, No. C-100, Dual Head Wire Mill, (12028)
4" x 6", Stanat, Model CXBB216, Combination Rolling Mill & Bullblock (12057)
7" x 2" W., Waterbury Farrel 10 Stand 19.8mm - 7.5mm (10849)
7" x 2" W., Waterbury Farrel, 10 Stand, .781"- .300" (19.8-7.62mm), Coiler (11357)
7" x 19" W., Ruesch, 31 Grooves 0.496" - 0.100", 5HP AC, Brnz Brngs (10048)
11 1/2" (290mm), Kocks, 12 Stand, Hot Rod Mill, for Steel, Tungsten, Moly (11961)
550,000 Tpy Bar and Rebar Manufacturing Plant (11378)
9 Stand/15 Pass Rebar Manufacturing Mill Instalation (11895)
14 Stand Plus 3 Hi Rougher Roller Bearing Mill (11900)
Rebar Manufacturing Line (New) (12144)
Hot Rolling Mill Plant for Round Bar (12311)

ROLLING MILLS, CLUSTER

5" x 10" x 10" W., Schmitz, 6-Hi Cluster Mill, 50KW DC, Payoff/Winder (12138)
4.7" (120mm) x 13.7" (350mm) x 13.7" (350mm) 6-Hi Cluster Mill (12485)

ROLLING MILLS, SENDZIMIR

8 1/2" Waterbury Farrel, No. ZR 15 8 1/2, Sendzimir Rolling Mill (1610)
8-1/2" Waterbury Farrel, Mdl ZR16-8 1/2, 30 HP Drive, 15 HP Rclrs (10018)
ZR16 - 8 1/2 Waterbury Farrel Sendzimir Mill (11212)
8 1/2", Waterbury Farrel, ZR16-8 1/2, 0.020"-0.001" Stainless (12214)
13" (406mm), Sendzimir, No. ZR33-13, 20-Hi Cold Rev (11622)
13" Waterbury Farrel, No. ZR33-13, Sendzimir Mill (12266)
14", Waterbury Farrel, No. ZR24-14, .040" - .001" Moly (12446)
15", Waterbury Farrel, ZR16-15, 0.070" - 0.0005", 50HP Mill, 25 Winders (12077)
18" (457mm), Waterbury Farrel, ZR 33-18, 20-Hi Rev Sendzimir Mill (11416)
22" No. PL 32-22, Sendzimir Planetary Hot Mill Operation (11889)
25", Waterbury Farrel, ZR 23SC-25, AGC, Vollmers, SCR Drives (12225)
26" (660mm) Waterbury Farrel 20 Hi Sendzimir Mill, .080"- .0015" (2-.038mm) (12359)
48", Hitachi 20 Hi Sendzimir Mill, Material: 4mm Thick x 1030mm Wide (12399)
ZR22 - 49 Innocenti Sendzimir 20 High Rolling Mill (11470)
52" Waterbury Farrel, No. ZR 22B-52, 1978, Thickness 6mm - 0,2mm (12389)

ROLLING MILLS, 2-HI

5" x 8", Standard Machinery 2 Hi Rolling Mill (12442)
5 1/4" x 8", Fenn, No. 051, Hyd Screwdown, AGC, Winders (7613)
5 1/2" x 6", Marshall Richards, 10 HP DC, Winders (11983)
8" x 8", Waterbury Farrel, 2 Hi, 100 HP DC (12231)
9" (228mm) x 5" (127mm), Brodan, 2-Hi Reversing Mill (11915)
10" (254mm) x 14" (355mm), Standard, 2-Hi Cold Rolling Mill, 25 HP (11956)
12" (300mm) x 14" (350mm), Carl Wezel, 2 Hi Mill with Auto Gauge Control (AGC) (4228)
12" x 16", Waterbury Farrel, 40 HP, Non Rev (12407)
14" (355mm) x 16" (406mm), Waterbury Farrel, 2-Hi Skin Pass Mill, 40 HP DC Drive (12063)
15" (378mm) x 29 1/2" (750mm), Pomini, 2000 Rebuilt, 2-Hi Rolling Mill (11762)
16" x 18", Standard, 75/100HP, Motorized Screwdown (10675)
16" (400mm) x 20" (500mm), Chang-Jo, 2-Hi Skin Pass Rolling Mill (11730)
17" (430mm) x 15", 1987, 2-Hi Non Rev Cold Rolling Mill, 1000 KG Coil (11644)
20" (508mm) x 28" (712mm), Waterbury Farrel, 2-Hi, Payoff/Take-Up (11964)
24" x 24", Inco, Hot Slab Rolling Mill (12345)
24" (610mm) x 55" (1400mm) Refurbished 1998, Davy United 2-Hi Reversing (10370)
24" x 72", Garrison 2 Hi Rolling Mill, 300 HP (12404)
25" x 55", Achenbach, Reversing, w/Recoilers (11442)
26" x 53", Sack, Skin Pass Rolling Mill (12455)
28" x 48", Achenbach, 2Hi Hot Reversing Mill for Copper/Brass (12119)
35" x 70", Skoda, 2.5mm - 20mm Thickness Range (12443)
134", Mesta, Plate Mill Thickness 14" - 3.5" Width 70"-120" (12488)

ROLLING MILLS, 2-HI, TANDEM

12" x 6", Fenn, 3 Stand, 2-Hi, 7.5 HP Per Stand, 50 FPM (6633)

ROLLING MILLS, 2/4-HI

1-1/2" x 5" x 8", Stanat, No. TA-315, 2/4 Hi Reversing Mill with Winders (11664)
2-1/2" X 8" x 8", Stanat, TA-625, w/Uncoiler & Nrecoiler (12465)
3 1/2" x 9" x 12" Fenn Rev Mill, Vollmer Gauges (11971)
5" x 8", Fenn, 2/4 Hi, Rev, Winders, Handwheel Screw Downs (11757)
5" x 8", Fenn 2 Hi/4 Hi Rolling Mill w/Mill MTD Reels (11784)
2 1/2" x 5 1/2" x 8" BHS Torin 2/4 Hi, 20 HP, Hyd Screwdowns (11788)
1-5/8" x 6" x 8" Loma, 10 HP, Reversing, Dual Handwheel Screwdown, 10 HP (6436)
6" x 16" x 14, Carl Wezel, 1978, 2/4 Hi Reversing (10780)
24" (609mm) x 29 1/2" (750mm), Griset, 1994, .787" (20mm) In .016" (4mm) Out (12226)

ROLLING MILLS, 3-HI

20" (510mm) x 30" (780mm) x 90" (2300mm), 3-Hi Hot Plate Mill for Steel (12382)



BUYING, SELLING, AND APPRAISING USED METALWORKING MACHINERY

ROLLING MILLS, 4-HI

- 1 1/2" x 6" x 6", Waterbury Farrel, Contact Gauge, Recoiler (10019)
- 1-7/8" X 8" x 8" Fenn, Dual Handwheel Screwdown, Rclr/Payoff Mill Mounted (6433)
- 2" x 8" x 5", Ruesch, 10HP (11980)
- 2 1/2" x 8 1/2" x 10", Waterbury Farrel Non Rev, Power Screwdowns (11841)
- 4" x 14" x 10" Morgan, 75 HP DC, Power Screwdown (10017)
- 4" x 14" x 14", RWF, 1963-1980, 0.100"-0.078" Thickness, 12" W (11976)
- 5" x 10" x 10", Stanat, 25 HP DC, Non Reversing, Power Screwdowns (10647)
- 5 1/2" (140mm) x 12" (305mm) x 12 1/2" (317mm), Robertson, 4-Hi Reversing Mill (12476)
- 5 1/2" x 15" x 12", Fenn, Non Rev (8103)
- 5 1/2" x 22" x 20", SEH, 1962/1987 Reversing, 0.175" - 0.0078" (12391)
- Sheet Rolling Mill Thickness 5mm - 0.2mm, 50 mpm, (12374)
- 7 1/4" x 20" x 20", MMPL, Reversing 425mm Width, 0.1mm - 1mm Thickness (12358)
- 8" x 16" x 18" Demag 4 High Strip Rolling Mill, 1982 (11804)
- 8 1/8" x 16 1/2" x 18", Waterbury Farrel, Rev (12234)
- 8 1/2" (220mm) x 26" (660mm) x 63" (1600mm), Kobe, 1970, Aluminum Foil Mill (12165)
- 8 1/2" (220mm) x 26" (660mm) x 63" (1600mm), Kobe, 1970, Aluminum Foil Mill (12166)
- 9" (228mm) x 20" (508mm) x 18" (457mm), Ruesch, 4-Hi Cold Rolling Mill (11401)
- 9" (227mm) x 22" (558mm) x 35" (900mm), 4-Hi, 2006, Non-Reversing Cold Rolling (12064)
- 9" (228mm) x 24" (610mm) x 24" (610mm), One Way 4-Hi Rolling Mill, 150 HP/460V (12176)
- 10" x 20" x 30", Waterbury Farrel, 1979, Temper Mill (12452)
- 11" (280mm) x 26" (660mm) x 22" (580mm), 4-Hi Reversing Mill (11645)
- 11" x 27 1/2" x 29 1/2" Demag, 4-Hi Rolling Mill, 330 HP Motor (11720)
- 12" (300mm) x 24"(600mm) x 20"(500mm), Pitel Reversing Breakdown Mill (12348)
- 12" x 33" x 28", United, 4 Hi Reversing, 26 1/2" Strip Width (11541)
- 12 1/2" x 24" x 25", Farmer Norton, Thickness 14.5mm - 1.7mm (12272)
- 13" (325mm) x 33 1/2" (850mm) x 35" (885mm), M & N, Cold Rev, Stainless (11535)
- 14" x 34" x 66", Achenbach Zamet, 1975, Thickness .063" -.0025" (12271)
- 16" x 30" x 30", Achenbach, Reversing Mill, AGC, Vollmers, Hyd. Screwdown (12121)
- 16" x 39" x 48", Skoda, 1968, 1400kw Drive Motor (11978)
- 16-1/2" x 34" x 34", Bliss, Non Reversing, Breakdown Mill (12215)
- 16 1/2" x 48" x 56", Hitachi, 6 High, Speed 5000 FPM, .160" Input (12489)
- 18" (460mm) x 56" (1420mm) x 72" (1830mm), Loewy, 4-Hi Mill, 2250 HP (12293)
- 56" United Reversing (12174)
- 26" Bliss, Breakdown Mill, 0.55"(14mm) Input Thickness x 650mm Width (12349)
- 17" Inco 4 Hi Reversing Mill, 430mm Strip Width, Thickness 2.5 - 0.15mm (12357)

SAWS, BAND, HORIZONTAL

- Hem Model 1200A Horizontal Band (Billet) Saw (10861)

SAWS, BILLET

- 28" (712mm), Kaltenbach, Aluminum Billet Saw, 9.8 Ft. w Billet Table (12479)
- 55", Farrell Newton Model U82A, Cross Cut (10808)
- Hem Horizontal Band (Billet) Saw, Prog Feed Control, 2" Blade (10858)

SAWS, COLD & CARBIDE

- 3" Circular Tube Cut-Off Saw, 3.14" O.D. Tube Dia., 13.7" Blade (5667)
- 14", Hydraulic Cross Cut Saw, Carbide Blade, Double Clamping (10860)
- 18", Loma, No. KE-3, Cross Cut Type, 72" Cross Travel (4720)
- 18", Oliver, No. 94-DHX, Automatic Cut-Off Saw, for Bar, Rod & Tube (11538)
- 19 1/2" (495mm), Gustave Wagner VKM-360, Automatic, 25 HP (10874)
- 20" (508mm), Oliver, No. 394DH, Tube Cut-Off Saw, Hyd Blade Feed (11902)
- 24" (600mm), OAMV, Aluminum Profile Cutting Saw (12480)
- 40" Diameter Espen Lucas Circular Saw, Hyd Clamping (10530)

SAWS, PLATE

- SMID, 25" (635mm) Strip w., Sheet/Plate Cutting Saw (12147)

SAWS, SLAB

- 220mm Pioneer Slab End Saw (12343)

SHEARS, ALLIGATOR

- No. 300, Hill acme, Alligator Shear (11880)
- Scott Hydraulic Alligator Shear with Hyd Clamping (10855)

SHOT BLAST/PEENING, AIRLESS

- 60" (1524 mm), Blastec, (Rebuilt 2010), Continuous Shot Blast Descale (12051)
- Georg Fischer, No. FL-4/0513-100, Shot Blast Cleaning System (6408)

SLITTING LINES

- 8" x 3 1/4", Waterbury Farrel, Slitting Line (10354)
- 10" x .0118" x 20,000 Frohling Slitting Line (12021)
- 10" x 4", Ruesch Ring Slitter, 7 1/2 HP, 220/440 Volt (11770)
- 10" x 2 5/8", Waterbury Farrel, Slitting Line, (12069)
- 12" x 2 5/8", Coil Pro, Slitter, Scrap Winder & Recoiler on Common Base (10059)
- 12" x 1.250", Ruesch, No. 189, 1978, 0.005" - 0.015" Thick (11114)
- 12" x 1 1/4", Ruesch Model 189, Dual Recoilers and Uncoiler (12177)
- 12" (305mm) x 2 5/8" (66mm), Ruesch, No. 76, Slitting Line, 5" (127mm) Knife (12238)
- 12" x 2.875" Ruesch, 2,500# Coil, 0.125" -.006" (11927)
- 14" x 3" Ruesch, 4,000# Coil, Right to Left, 700 FPM (11926)
- 16" x 5" Arbor Dia., Thickness 1mm-5mm, 425mm Width (12364)
- 16" x 2-5/8" Ruesch, Dual Recoilers Common Base (12288)
- 16 5/8", (420mm Wide) Slitter, Thickness 0.10mm - 1mm x 420mm Width (12363)
- 18" x 3.5" Loopco, 7500# Coil, Stainless, Right to Left (11925)
- 20" x 3.75" x 10,000 Lb Paxson Slitting Line (12467)
- 20", Ruesch, Thickness 0.2 - 0.04mm Coil Weight 2 Metric Tons Output (12373)
- 20" (500mm) x 0.120" (3mm), Sundwig, Slitting Line (11805)
- 22" (560mm) x 2 1/2" (63.5mm), Brookes, 1969, Slitting Line, Unc, Slitter Head (12474)
- 24" Loopco, Max Ox 52", Thickness Range .003" -.062" (12409)
- 24" x 4-1/8", Ruesch, No. 146, Thickness 0.015" - 0.093" Pull Thru (10587)
- 24" (610mm) x 4 1/8" (105mm), Ruesch, No. 146, Slitting Line, 8" (203mm) Knife (12239)
- 24" (610mm) x 5" (127mm), Ruesch, Payoff, Slitter, Scrap Winder, Recoiler (12065)
- 24" (610mm) x 4.25" x 6,000 Lb, Stanat, S-190-24, Precision Ring Type (11483)
- 24", Ungerer, Comb. Slitter/Cut-to-Length, .040-.236"(1-6mm) Thick (12123)
- 24" (610mm) x 4" (101mm), 15000#, Yoder, Slitting Line, Uncoiler, Reclr (11764)
- 25" x 6" Achenbach, 12-25" (310-635mm) Thick, .012-.060"(.3-1.5mm) Thick (12125)
- 25", Smiko, Heavy Gauge 7mm - 0.8mm Thick x 605mm Wide (12351)
- 25", Sudha, Thickness 0.2mm - 0.04mm x 25" (650mm) Wide (12366)
- 25 x 5" Unitech, Thickness 1mm - 0.1mm Width 650mm (12365)
- 30" (762mm) x 4-1/4" (108mm), Torrington, Slitting Line (12430)
- 33" x 2,000 Lb., Schmutz, Foil Slitting Line (10360)
- 36" x 5", Loopco Slitting Line (7179)
- 36" x 6" PM, 20,000 Lbs Coils, 0.008" - 0.135" (11319)
- 36" (914mm) x 5" (127mm), Paxson, 20,000 Lb Coils, 3 Heads, Tooling (11230)
- 36" x 5", Paxson, Capacity 0.010" - 0.187", 20,000# (11625)
- 36" (915mm) x 4 1/4" (108mm) x 10,000 Lb. (4536 KG), Paxson, (11955)
- 36" Paxson, Max OD 60", Thickness Range .187" - .018" (12410)
- 36" (915mm) x 4-1/2", Yoder Model M2 Slitting Line (6050)
- 36" (915mm) x 4-1/2" (114mm) Yoder Slitter w/Unlr (No Rclr) (7718)
- 36" (915mm) x 5" (127mm), Yoder, 15,000 Lb. (6800 Kg) Uncoiler, 40 HP (11458)
- 42" x 4", Yoder Slitting Line with On Board Recoiler (11823)
- 48" x 7.00" x 25,000#, Lee Wislon, Slitting Line, Uncoiler, Recoiler (12243)
- 48" x 7.00" x 40,000#, Cincinnati, Slitting Line, Uncoiler, Recoiler (12244)
- 48" x 6 1/2", Loopco, 30,000 Lbs, 60 HP on Recoiler (10161)
- 48" x 7.5" x 20,000#, Stamco, Slitting Line (10969)
- 48" x 6.50" x 20,000#, Stamco, Slitting Line, Uncoiler, 2 Slitter Heads (12242)
- 48" x 6" Wean Pull Thru, Capacity 0.042" - 0.187" (10280)
- 52" x 5", Dahlstrom Looping Type Slitting Line (10376)
- 52" x 7.00" x 30,000#, Forte, Slitting Line, Uncoiler, Recoiler (12246)
- 52" x 7" Forte, 30,000# Coil Slitting Line (12262)
- 52" x 12.00" x 30,000#, Herr Voss, Slitting Line, Unc/Rec, 2 Slitter Heads (12248)
- 52" x 6.50" x 40,000#, Stamco, Slitting Line, Uncoiler, Recoiler (12245)
- 54" x 7.00" x 30,000#, Loopco, 1972, Slitting Line (10970)
- 54" x 6.5", Taci, 40HP DC, 20,000 Lbs., 20" ID Coiler (11746)
- 54" x 7" Yoder, 40,000 Lbs., Rclr 150 HP DC (11908)
- 60", ASD Durham, 1982, 3mm (.118") Thick Material (12448)
- 60" x 7 1/2", Cincinnati, 20,000# Coil Capacity, 1974 (11758)
- 60" x 9", Emag Slitting Line, .3125" @ 55,000 PSI (12076)
- 60", Iowa Precision Model SLR6016-1 Slitting Processing Line (12211)
- 60" x 7 1/2", Loopco Slitting Line, .010" TO .188" (10966)



BUYING, SELLING, AND APPRAISING USED METALWORKING MACHINERY



SLITTING LINES (Cont'd)

- 60" x .280" x 60,000 Lbs Paxson Looping Slitting Line (11755)
- 60" x 6.5" Stamco, 40,000 Lbs, 0.010" - 0.137" Thickness (11584)
- 61" (1550mm) x 7" (180mm) Seco, Slitting Line, 18 Ton Cap., 60 kW Unc. (11721)
- 63" (1600mm), Cameron Type 648 Paper/Foil Slitting Line (10220)
- 72" (1830mm) x 8.00" (203mm) x 45,000# (20,412 KG) Delta Slitting Line (10616)
- 72" x 7" Paxson Universal, 40,000# (11371)

STRAIGHTENERS, TUBE & BAR

- 3/8" Torrington Model #1819, 12 Roll 2-Plane Tube & Rod Straightener (12302)
- 0.390" (10mm) - 1.38" (35mm), Schumag, Two Roll Rotary Straightener (11728)
- 1/2", Mack-Hemp Model AY, 6 Rotary Straightener (12394)
- 4" (102mm)-1/2" (12.7mm) Mackintosh-Hemphill, Mod. AO, Rotary Tube Str (11946)
- 7/8", Mackintosh Hemphill 6 Roll Straightener (11982)
- 1" Medart No. OA Bar Straightener (12312)
- 1 1/4", Bronx, No. 6CR3, 6-Roll Straightener (10631)
- 1-5/8", Fastener Engr, No. SB-1625-5, Single Plane, 1" to 1-5/8" Rod (11546)
- 2", Keiserling & Albrecht Straightener (12463)
- 2-1/2", Medart, No. 1, Tube & Bar Straightener (11239)
- 3", Sutton, Model 1 1/2B, 5 Roll Rotary Straightener (11368)
- 5" Max. Thk, Sutton, No. 2B, Tube Straightener (10728)
- 5-9/16", Bigwood Model 2B, 7 Roll Rotary Pipe Straightener (6801)
- 16", Montbard, No. V-2T, 6.25" - 16" Diameter (12401)
- .867" (22mm), Bronx, No. 6CR 2 1/2, Straightener (12453)

STRETCHERS/STRAIGHTENERS

- 200 Ton, Oil Hydr Stretch Straightener for Bars & Shapes, Oilgear Pump (12269)

SWAGERS

- 1/4", BHS Rotary Swaging Machine, 1/16" Solids (12438)
- 5/16", Torrington, No. 111, Solid Capacity 1/8" (12283)
- 5/16", Torrington, No. 111, Solid Capacity 1/8" (12285)
- 7/16", Torrington #2, 2 Die Rotary Swager, 3/16" Solids, w/C Head (12185)
- 1/2", Torrington, No. 211-SS, Stationary, Cap. 1/2" Tube, 3/16" Solid (11607)
- 3/4", Standard/Fenn Model 2A-2, 2 Die Rotary Swaging, 1/4" Solids (12437)
- 3/4", Torrington Model #3, 2 Die Swager, Cap. 3/4" Tube, 3/8" Solids (10250)
- 3/4", Torrington Model #3, 2 Die Swager, Cap. 3/4" Tube, 3/8" Solids (10694)
- 7/8", Torrington Model 312, 2 Die Rotary Swager, 3/8" Solids (11586)
- 7/8", Torrington Model 312WJ, 2 Die Rotary Swager, 3/8" Solids, w/C Head (12207)
- 1", Stevens & Bullivant Model 8 Butt Action Swager, .492" Solid (12075)
- 1", Torrington Model 3 1/2, 2 Die Rotary, 1/2" Solids (7962)
- 1", Torrington Model 3 1/2, 2 Die Rotary Swaging Machine (12027)
- 1 1/4" (31.75mm) Max., Mitchell, 2-Die, Hydraulic Tube Push Pointer (12154)
- 1 1/4" (31.75mm) Max., Mitchell, Single Die, Hydraulic Tube Push Pointer (12155)
- 1 1/4", Torrington Model #6 Modified, 2 Die Rotary Swager, 1 1/4" Tubing (11065)
- 1 1/2", Abbey Etna Model 1515RA, 2 Die, 15" Long (11443)
- 1 1/2", Torrington Model 323, 2 Die Swager, Cap. 1 1/2" Tube, 1/2" Solids (6548)
- 1 1/2", Torrington Model 4318, 18" Long 2 Die Swager, Cap. 1 1/2" Tube (10583)
- 1 1/2", Air Operated Swager Feed, Double Jaws, Ramp Loading & Indexing (11248)
- 1 5/8" - 1/2", Mitchell, Hydraulic Push Pointer (10391)
- 1 3/4" (44mm), Fenn, 3 1/2F-6 1/2", 2 Die Rotary (11697)

- 1 3/4", Fenn, No. 3 1/2F, 2 Die, 10" Die Length (11710)
- 1 3/4" (44.5mm), Fenn, No. 3F 2 Die, Solid Cap. 5/8", Tube Cap. 1-3/4" (12483)
- 1 3/4", Fenn Model 3F, 2 Die Swager, Cap. 1 3/4" Tube, 5/8" Solids (7029)
- 1 3/4", Fenn/Standard Model 3A-2 Die Rotary Swager, 3/8" Solids (12110)
- 2", Fenn, Model 2H, Hydroformer, 15/16" Solids (11562)
- 2", Fenn Model 4 1/2F-15" Long, 2 Die Swager, Cap. 2" Tube (10580)
- 2", Torrington Model #4, 2 Die Rotary Swager, 2" Tubing, 5/8" Solid (11008)
- 2" Torrington Model 4315, 15" Long 2 Die Swager, Cap. 2" Tube (11216)
- 2 1/8", Standard/Fenn Model 4A, 2 Die Swager, Cap 1 1/8" Tube, 5/8" Solids (6805)
- 2 1/4", Fenn, No. 4 1/2F, 1975, Rotary Swager (11069)
- 2 1/4", Fenn Model 4F-2 Die Rotary Swager, 15/16" Solids (12440)
- 2 1/4", Fenn Model 4FSA, Stationary Die Alternating Blow, 15/16" Solid (11693)
- 2 1/4", Torrington Model 1033, 2 Die Rotary Swager, 1" Solids (12182)
- 2 1/4", Torrington Model 433, 2 Die Swager, Cap. 2 1/4" Tube, 5/8" Solids (6856)
- 2 1/2", Torrington, No. 438, 2 Die Rotary Swager (11991)
- 3", Stevens & Bullivant, Model 11CS, 4 Die Rotary Swager (11716)
- 3 3/8" Solids, Halden, 1968, 200HP Motor, 4 Die (11444)
- 3 1/2" (89mm), Torrington, No. 1047, 2-Die Swager (12471)
- 4" (102mm), Abbey Etna, No. 412-B2, 4 Die, Rotary Tube/Bar, 50 HP (11947)
- 4 1/2", Stevens & Bullivant Model 15CS, 2" Solid Capacity (11717)
- 6", Fenn Model 8FS, Simultaneous Blow Stationary Die, Solid 3 3/8" (4928)
- 6" (152mm), Kieserling Model ASMK-3, 4 Die Rotary Swaging Machine (11950)
- Rack and Pinion Type Swager Feed (12451)

TRANSFER MACHINES, ROTARY, TRUNION (HOR. & VERT.)

- Namco, No. RV6, CNC Rotary Transfer Machine, New 2001 (11495)

TUBE COILERS

- 7/8" - 1/4" (22mm-6mm), Morgan, Tube Level Winding System (10686)
- 5/8" (16mm) - 1/4" (6.35mm) Vaughn, Tube Level Wind Line (11101)

TUBE END FORMING MACHINERY

- 3/4" Torrington, No. 60, Capacity 1/8" to 3/4", (11652)
- 7/8" Cap, T-Drill, No. TCC-50-EF02, 2003, Tube Cutting & End Forming Line (10963)
- 1-1/2" Cap, Vaill, No. 6A, Double Stroke (11655)
- 2" Mitchell, No. PP512, Two Station Reservoir Tube Forming Mach 1991 (10397)
- 3" Cap., Fenn, No. 30-3, 1981, Hyd., Single Stroke, Tube End Former (4869)

TUBE FINNING MACHINERY

- Fin Tube Production Line (12386)

TUBE MACHINERY (Cut Off)

- 1 3/4" - 1/8", Bertollette, No. 315, Tube Cutoff Line (6152)
- 1 3/4" (45mm), Bertollette Model 315 Tube Cutoff Machine (11445)
- 6 5/8", Bardons & Oliver, No. 36, Cut-Off Lathe, 11500#, 25HP (5332)

TUBE MACHINERY (Draw Blocks)

- 8", Vertical Capillary Tube Draw Block, 10 HP Hyd Drive, .080"-.040" (1832)
- 24", Marshall Richards, Pull 2000 Lb. Inverted, 2000 FPM, 7/16" Dia Input (8063)
- 60" (1524mm) Demag SMS Vertical Tube Spinner Block, 300 HP (10717)
- 60" (1525mm), Marshall Richards, 1991, Spinner Block, 1.578" - 0.157" (12415)
- 60" (1524mm), Vaughn, 60-22-76 Vertical Dropoff, 86" (2184mm) Face (12286)
- 84", Fenn, Horz Tube Block, 500 FPM, Coil WT 500#, 400HP (11567)
- 84", Mannesmann Demag, No. 80TVC 2000, 1996, Spinner Block (10345)
- 84" (2133mm), Vaughn, No. 84-24-26, Pull 26502 Lb., 1981, Spinner (11566)
- 40mm - 4mm (1.574" - 0.157") Marshall, 1991, Tube Bull Block (12396)

TUBE MILLS

- 1/4" - 1/2", Inner Groove Copper Tube Weld Line, New 2001 (8193)
- 1" x .043", Livernois, High Frequency, 1/2" Minimum (7894)
- 1" - 1/2" (28mm - 12mm), Stainless Steel Hex Tube Mill, 0.5-4m/Min. (1.6-13 FPM) (12061)
- 1 1/2", Yoder, M1, Tig Welder Stainless Mill (12024)
- 2" x 0.083" A E F Tube Mill, Alpha Cut Off, Turkshead (10907)
- 2", AEF, Complete Welded Tube Mill Line (11846)



BUYING, SELLING, AND APPRAISING USED METALWORKING MACHINERY

TUBE MILLS (Cont'd)

- 2 1/4" (57mm) - 5/8" (2mm), Abbey Aetna No. 2XKU, Tube Mill, L-R, 300 FPM (12161)
- 2 1/2" (63mm) x .095" (2.4mm), Yoder, No. M2, Tube Mill Line (11789)
- 3" (76.2mm) x .160" (4mm), Abbey Etna, 3X-3.0, Mill Stands Only (12392)
- 3" (76mm) x .135" (3.5mm), Urrutia, No. 2-1/2, (No Welder or Shear) (11829)
- 4" - 1/2" AEF Tube Mill Line (11847)
- 5", Elmaksan, 1998, Hi Freq Thermatool Welder (11559)
- 9" - 1", Kent Floop, No. R-22, 1976, Hot or Cold Low-Carbon Steel Strip (11487)
- 11" - 3", Kent Floop, No. R35, Hot or Cold Rolled Low-Carbon Steel (11488)

TUBE REDUCERS

- 1 1/2", LG-30X 2 H, Tube Blank Diameter 40x4mm (7183)
- 3", SMS Meer, No. VMR 3 x 75, Max Length of Draw 8 Meters (12233)
- 80mm - 35mm (3.149" - 1.377") Meer KPW 75 Tube Reducer (12395)

TURNSTILES

- 24,000 Lb. (10.8 MT), Paxson, Two Arm Power Turnstile (11476)

UNCOILERS

- 2500 Lb., Cooper Weymouth, Dual Arm, 12/16" ID x 24" Wide (12477)
- 3500 Lb., Perfecto Model 35-72, Unpowered Payoff, 16" TO 24" x 15" W (11781)
- 4000 Lb., Littell, Width 12", Expansion Manual 15 1/2" - 24", 60" Coil OD (11631)
- 2,000 Lb., Bertolette, Model 2CP, Double End, Air Brake (8171)
- 2,500 Lb., Cooper Weymouth, Double Arm Uncoiler (11387)
- 4,000 Lb. x 10", ADS, Dual-Arm Uncoiler, Dual Arm-Swivel Payoff (6585)
- 4,000 Lb., Littell, No. 40-24, Payoff, 14"/18" I.D. x 24" Wide (10799)
- 5000 Lb. (4536 Kg) x 12" (305mm), Egan, No. 1482, Unclr, Single Mandrel (12278)
- 6,000 Lb., Regal Model 6000-185SRNP-ADB, 14"/22" Mandrel (8073)
- 10,000 Lb. (4535 KG) x 12" (305mm), SMF, Unclr, 25 HP DC, Single Mandrel (12277)
- 15,000 Lb., Yoder, 16" ID x 42" W, Sliding Base (7787)
- 20,000 Lb., x 40" Wide Paxson, 14/16" ID, 5HP DC, Sliding Base (10608)

UPCOILERS

- 3" x 14", Ruesch Model 141, 3 Roll, 24" Max Coil O.D., DC Drive Motor (8000)
- 4" x 28", Torrington, UPC., Carrier 2 1/2" x 28" (113)
- 7" (177.8mm) x 34" (863.6mm) E W Bliss, 125 HP DC (12417)

UPENDERS/DOWN-ENDERS

- 5000 Lb., Coil Upender, Mechanically Driven, Approx 5 HP Motor (10959)
- 40000 Lb., Mathews, Hydraulic (11701)
- 40000 Lb., Mathews Conveyor, (11698)
- 20,000 Lb. (9072 Kg), Regal, 48-72-HTHC, Self-Contained Hyd (11831)

WELDERS, BUTT

- 30 KVA, Precision Type FBA-1 Butt Welder, 440 Volt (12068)
- 36 KVA, Hakusan, Type BF-8D, Heated Pressure Welder, Voltage 625V/60HZ (11144)
- Micro-Weld Model AD-8 Butt Welder, 655 KVA, .500" - 1.250" (11150)
- Micro-Weld Model J5C, Non-Ferrous, Butt Welder, 220 Volts (11779)

WIRE CLEANING MACHINERY

- Coleman, Decapador No. M54/88-SR, 1989, 4 Head Wire Cleaner (11453)

WIRE MACHINERY, BULLBLOCKS

- 10", Single Die Bullblock, Approximately 5 HP (11778)
- 12" Mossberg & Granville, Single Die, 5 HP AC (7032)
- 12" Vaughn Model 8SD Vertical Bullblock, 10/13 HP (10536)
- 14"/10", Model #H.I.L.D.- 14, Double Deck, Wire Eng Assoc Bullblock (11777)
- 20", No. DA-03-2020, Fastener Engineering, Varidrive, Block Dia 20" (4989)
- 20" Fastener Engineering, No. DTV-02-20, Bull Block (11931)
- 20" Macbee, No. SWBB20-3, Bull Block (11935)
- 20", RMG, No. 34-05132-75, In-Line Wire Drawer, Cap 0.250" - 0.187" (10006)
- 30", Vaughn Model 22 Bullblock, 125/150 HP DC, 0/180/540 FPM (11591)
- 24" Fastener Engineering Model DT-05-24 Horizontal Bullblock (10648)

- 26", Vaughn, Model No. 12-22, Wire Drawing Bull Block, 75/100HP (11543)
- 28" (712mm), Vaughn Wire Drawing Block (11911)
- 30", Wirematic Vertical Bull Block, 75 HP (6965)
- 30", Conran Mod. 348 Inverted Bull Block, 1-1/4" - 1/2" Solid Rod (10463)
- 36", Vaughn Model #22SD Wire Draw Bullblock, 125/150 HP (12108)
- 36" Morgan Type VS, Bullblock, 100/125HP DC, Size 238 (10051)
- 5/16" RMG No. 45-0574-01, 5 HP (12454)
- 4" Bigwood, Reeler Model RMT, 101.6mm Diameter Rod (12462)

WIRE MACHINERY, CONTINUOUS POINTERS (PRE-DRAW)

- 1/2", Morgan Model 500 Continuous Wire Pointer, 9 Grooves, 3HP/550V/3PH/60HZ (11159)
- 3/8" Model #1 Vaughn, Continuous Roll Pointer (10695)
- .265", Vaughn Model #1, 10 Grooves, 0.041" to .265" (11782)
- 3/8", Vaughn Model 1 Continuous Roll Pointer (12026)
- 1/2", Waterbury Farrel Continuous Wire Pointer (11149)

WIRE MACHINERY, DEADBLOCK

- 22" (558mm), Vaughn, Dead Block, Shedding Drum 42" (1068mm) (11912)
- 30", MRB Deadblock Coiler, 50 HP AC Vector, No Drive Electrics (12025)

WIRE MACHINERY, DRAWERS

- No. 12 HFX, Vaughn, 0.0625" - 0.0095" High Carbon, 12 Die (7573)
- No. 13T, Vaughn, .3125 -.035", Cone Type Tandem Continuous Wire Drawing (10880)
- No. 3/4 Hrs, Vaughn, .216" - .113", 3 Block, 40 HP 1ST, 33HP 2nd (11828)
- No. 4/5 HRM, Vaughn, .375" - 0.283", 4 Block Wire Drawer (11206)
- 5Hr, Vaughn, Motoblox, .220", 15 HP DC/Blk, 16" Int-Med Blks 22 Finish (5366)
- No. 6HIV, Vaughn, .218" - .030", Wire Drawer, 6 Die, 6 Block, 10HP/Block (6850)
- No. 6HRX, Vaughn, .500"-.135", Drawing & Shaving Line, 50/60HP Per Head (11849)
- No. BB-14, Fenn, .187"-.025", 6" - 14" Dia Blocks (11186)
- E-10T Tandem, Cook, 1980, .114"-.250", 300 HP, 1600 FPM, .340" SQ Entry (11691)
- F-13, Syncro, 9.5mm-6.35mm(.375"-.250") Copper, 13 Dies, Anneal, Spooler (11677)
- TF111B, Herborn, .040" Hi Carbon Fine Wire Drawer (11859)
- TF111C/13, Herborn, 0.040" Hi Carbon 13 Die (11857)
- Coulter McKenzie, .065"-.008", 8 Die Fine Wire Model 116 SPL (10863)
- Type C, Morgan-Connor, 5 BLK, 0.135" (3.429mm) High Carbon, 25 HP (10184)

WIRE MACHINERY, DRAWERS, STRAIGHTENERS & CUTTERS

- No. 0, Schumag, Draw Speed 30m/min (12460)
- No. 1, Schumag, Combined Drawing Machine (12461)
- No. KZ-R-IVB, Schumag, New 2007, 2 3/8"- 7/8", 475 HP (12292)
- KZP-2, Schumag, 1957, Working Range 9-24mm, Hex 8-22mm (11914)
- Straightening/Polishing Unit for Schumag No. KZRP-I Combined Drawing M/C (5353)
- KZRP-IS, Schumag, CDM for Rod, .158"-.767" (4mm-19.5mm) (12287)
- Schumag, No. RFS, High Speed Finishing Line (10731)
- 1-1/8" Schumag Tube Finish Line CTL and Coil (11497)





Machinery International Corp.

20 Commerce Dr.
North Branford, CT 06471 USA
Tel: +1 203-484-0400
Fax: +1 203-484-4499

BUYING, SELLING, AND APPRAISING USED METALWORKING MACHINERY

WIRE MACHINERY, FLATTENING MILLS

- 2 3/4" x 2" 2 Hi Rolling Mill, 3 HP AC Gearmotor (7403)
- 4" x 1", Accurate Wire, Wire Flattening Line with Trav Spooler (11852)
- 3/4" x 4" x 2" BHS-Torin 2/4 Hi, Back Up Roll Driven, Hyd Scrdwn (11722)
- 4" x 4", Waterbury Farrel, 3 Stand Tandem Wire Flattening Mill (5913)
- 6" x 1 1/2", Stanat 2 Hi Wire Flattening Mill, 15 HP DC (12317)
- 6" x 3 1/2" Tishken Mdl STR-30-002-HWA, Flattening & Cut Off (10429)
- 6" x 3 1/2" Tishken Model STR30-C0-2HW Wire Flattening and Cut Off (10421)
- 6" x 4", Stanat Model TTA-400, 2 Hi Wire Flattening Mill (12318)
- 6" x 4", Stanat Wire Flattening Line w/Dual Take-Ups, Vari-Speed (7144)
- 6" x 4" Tishken, 2 Stand, Model ST2-C02 Wire Shaping and Cut Off Line (7334)
- 6" x 2 1/2", Stanat 2 Hi/4Hi Wire Flattening Mill, 40 HP (12314)
- 8" x 2", Fenn 2 Hi Wire Flattening Mill, 30 HP, Carbide Shell Rolls (12010)
- 8" x 4", Fenn, 2" Wide Shell Rolls, 40 HP Ajusto Spede (7868)
- 8" x 4", Fenn Wire Flattening/Shaping Line, Turkshead (10123)
- 8" x 6", Fenn, No. 082, 2-Hi Cold Rolling Mill (8183)
- 8" x 8", Waterbury Farrel, Traverse Recoiler, 100 HP DC (12250)
- 10" x 2", Fenn 2 Hi Wire Flattening Mill, 75 HP DC, Carbide Shell Rolls (12009)
- 10" x 4", Marshall Richard 2 Stand, 8" ND, Edger, Turks Head (10760)
- 10" x 5", Torrington, 3 Stand Tandem Wire Flattening Mill (10196)
- 10" x 6", WHA Robertson, 2 Stand Tandem, 8" x 6" 2nd Stand w/Edger (10085)
- 11" x 4 1/2", Tishken, No. STR-FLS-2, Wire Flatten, Str & Cut-Off Line (12450)
- Marshall Richards Tandem Wire Flattening/Shaping Line (12047)

WIRE MACHINERY, PAYOFFS

- Fastener Engineering, Model PF-2500-08 Coil Opener/Payoff (10990)
- Fastener Engineers, No. PF-6000-30, .625" - 1.5" (11624)
- 1" & 5/8" Miller 3 Roll Coil Opener (6512)
- Waterbury Farrel, No. AV-40, 1970, Power Driven, Uncoiler (11286)
- Wire Payoff (12484)

WIRE MACHINERY, SPOOLERS

- 500 Lb, Ruesch Model 271 Traversing Take Up Reel, 4 1/2" Traverse (8001)
- 1000 Lb, Stanat Traversing Take Up Reel (12334)
- 500 Lb, 16" x 4", Traversing Take-Up (10177)
- 500 Lb, Traversing Take Up Reel (12424)

WIRE MACHINERY, STRAIGHTENERS

- Wells, No. 5N, Straightener, Capacity 1/4" - .097" (5689)
- 1 1/4", Vaughn 3 Roll Rod Straightener, 1 1/4" Medium Carbon (6215)

WIRE MACHINERY, STRAIGHTENERS & CUT-OFFS

- 3/8"- 5/32", Lewis, No. 8-FA, Wire Str & Cutoff w/Flying Shear (11816)
- 1/2"- 1/4", Lewis, No. 9-FHA, Wire Str & Cutoff w/Flying Shear (11817)
- 5/8", Lewis, No. 20FHA, Shape, Str & Cut, Flying Shear Cut-Off (11787)
- .080" Lewis Model 0 Wire Straighten and Cut Machine (12256)

WIRE MACHINERY, TAKE-UPS

- 12" Traverse Connecticut Wire Traverse Take-Up Flat and Round Wire (10839)
- 12" Traverse Connecticut Wire, Traversing Spool/Wire Take-Up (10779)
- Fenn Model 1210 Ball Screw Type Traversing Reel, 2HP Drive Motor (12013)
- Fenn Model 510 Hydraulic Traversing Take-Up (11602)
- Fenn Model 510 Hydraulic Traversing Take-Up (11604)
- 1,000 Lbs Steel Heddle, Traverse Winder 14" Traverse (12220)

WIRE MACHINERY, TURKS HEAD

- Model 102PD Fenn Power Driven Turkshead (11676)
- 165C, BHS-Torin, 5th Type, Combination Turkshead (8006)
- Model 3P, Fenn Plain Type High Speed Turkshead (12324)
- Model 3U, Fenn Universal Type High Speed Turkshead, .080" Square (12320)
- Model 3U, Universal Type Standard Standard Speed Turkshead (12050)
- Model 4P, Fenn Plain Type, Standard Speed, Friction Turkshead (11356)
- 4U, Fenn Universal Type Standard Speed Turkshead (12313)
- 5th, Fenn, Combination Type, .437" (11mm) Max Square (12017)
- Model 5U, Fenn Universal Type Turkshead, .437" Max Square (11674)
- Model 61, Fenn Power Driven Turkshead, 30 HP DC, Missing Roll Boxes (8187)
- Model 81P, Fenn/Standard Power-Driven Turkshead (5788)
- 28", Fenn Style Turkshead Capstan, 30 HP DC (5951)
- 24", Double Capstan, 2" Wide Face Width, 5 HP Eddy Current Clutch Drive (11713)
- Plain Style Turks Head (12146)
- Wire Shaping Line with Fenn Model 4U Turkshead (12310)

DIDN'T SEE WHAT YOU WANT?

Email or fax your wanteds and surplus equipment you have for sale!

To: Machinery International Corp

Fax: (USA) 203-484-4499

From: Name _____

Company Name _____

Address _____

City _____

State _____ Zip _____

Country _____

Phone _____

Fax _____

We need the following equipment: _____

We have for sale the following equipment: _____

We need an appraisal done: _____

0914